Beverages C:\ *.* — A:

Recipe A:\ *.* — C:\WordPerf.

GROCERY
DAIRY
Bumble Bee Chunk Lt 2/1.00 Breakstone
Wh Butt 8 oz .79

Bertoli Ex Lt Olive Oil 1.99 Extra Lg Eggs
.99

El Pico 10 Oz Bag 1.59
O Ricotta 15 oz 1.29

Goya Corn Oil Gal 3.99 Royal Diary
Am Sing 12 oz 1.09

Old Vienna Gef Fish 27 oz 2..49 " "
Cream Ch 8 oz 2/1.00

Light Fluffy Egg Nood 12 oz .69 " "
O J 1.09

Parade A J 64 oz 1.19

Parade Pea/Corn/Beans 3/1.09 FROZEN

Oreos/Double Stuf 20 oz 2.29 Birds Eye Intl Veg 10
oz 1.09

San Giorgio Ziti 1 lb box 2/.99 Cara Mia Artichoke
Hearts 1.49

Non-Food (T/S) (FS/S) (SALE)
Cream 1/2 gal 1.59 Kemps Ice

Budweiser 12 pk cans 5.99
Bevirol Tortellini 16 oz 1.69

Ajax Dish Liquid 22 oz 1.09
Weight Watchers Cakes ass. 1.49

Parade Paper Towels 2/.89 W R
Broccoli Spears .59

Reynolds Wrap 25 ft .69

Scott Bath Tissue 2 /1.09
TAX GROC (T/S) (SALE)

Miller Beer 7 oz 2..49
7 Up 2 L 1.09

Sunny D 64 oz 1.09


SPACE
JUMP
Running kick
1 60 32 56 24
2 45 32 64 16
3 25 32 66 17
W Ld dT dw
L1 60 16 49 31
L2 45 16 56 24
L3 25 16 63 17
L 60 32 56
R0 X Y
R0 .355
y .267
V .176
5300
Flags
FT 2.7
T1
S0 8.8
12.5
S1 23.8
60
L2 S0 6.0
19.5
F1 14.7
D0 D1
46 21
29.4 30
26 89
14.7 X
10 X

Alex Eggspoe

19C
① $250 \times 1.3 = 325$ m/sec
② $3 \times 10^7 \times 10 = 3 \times 10^8$ m/sec
③ $4.8 \times 06 = .288$ m/sec 28.8 cm/sec
④ Period $\lambda = 3,472$
⑤ Freq = 1.5X109, pd = 1.5×10^{-9}

20
⑨ Attached to WALL
⑩ reflected pulse erect from A, inverted from B - At A it splits.
⑪ At A splits. Goes backward inverted, forward erect. Bounces back inverted @ B.
⑬ A = right medium is heavier. (more rigid)
B = right medium is lighter. (less rigid)
C = right medium is much ~~heavier~~ lighter
D = right medium is much heavier

21 24 Reflection, Diffraction, Refraction

25 Law of reflection: Angle of incidence = Angle of reflection (measured from normal)
26 Diffraction: The bending of a wave around an obstacle, If two obstacles, nodal lines occur.
⑱ When source is approaching, freq. goes up. When leaving, freq goes down.
24 ⑧ 53° ⑰ 66° ⑫

(14)

(15)



(17)



Physics Hw

(4) ⑧ $E = \frac{4\times10^{-3}N}{8\times10^{-2}C} = .50N/C$ ⑨ $1.5N/cm = \frac{x}{8\times10^{-5}}$ $F = 10^{-3}N$

(5) ① $800\,V/C \cdot .5m = 400V$ ② $2000\,V/C \cdot .03 = 60V$
④ $200\,V/C \cdot .008m = 25000V$

(7) ⑩ $120v \times .5A$ ⑪ $90v \times 2A$
⑬ $120v/75N$ ⑮ $60v \times 2A$ 5 minutes
⑯ $24v \cdot 4A$ 10 minutes

(8) ⑰ $90V/30R = 3A$ (9) ⑲ $120V/.5R = 240A$
⑳ $4A \cdot 30R = 120V$ ㉑ $4A/30R = .13V$
㉒ $4A \cdot 60R = 24V$

ME (9) ㉖ $120V \div 15\Omega = 8a$ $960\,watt \cdot 30sec = 28800$ Joules
$.24 \times 28800 = 6912$ cal
㉘ $220V \div 11\Omega = 20a$ $4400\,WATT \cdot 30sec = 132000$ Joules
$.24 \times 132000 = 31680$ cal
㉙ $500\,WATTS \cdot 1800sec = 900000$ Joules 216000 cal
㉚ $400\,WATTS \cdot 60 = 6000 \cdot .24 = 1440$
$90\,WATTS \cdot 60 = 4800J \cdot .24 = 1152$ cal/oil

5 #11 ⑥ $R_1 = 3\Omega$ $R_2 = 5\Omega$ $R_3 = 4\Omega$ $\mathcal{E} = 12V$
$R_T = 12\Omega$ ⑩ $I_T = I_1 = 1A$ $V_1 = 3v$ $V_2 = 5V$ $V_3 = 4V$ $V_T = 12V$
⑩ $R_1 = 2 = 3 = 4 = 6\Omega$ $I = 1.6A$
$R_T = 24$ $V_T = 38.4V$ $V_{EACH} = 9.6V$
⑫ $R_1 = 40\Omega$ $R_2 = \Omega$ $E = 120$
$I = 2.4A$ $V_2 = 80$ $V_2 = 40$ $R = \frac{40}{2} = 20\Omega$ $I = 5.4A \cdot \frac{40}{5} = 8\Omega$

#12

(4) ① $.04\,N/(2A)(.1m) = .2\,N/Am$

② $(.4\,N/Am)(8A)(.5m) = 1.6\,N$